

RINA

The Royal Institution of Naval Architects



International Conference

THE DAMAGED SHIP

26 - 27 JANUARY 2011
RINA HQ, LONDON, UK

day 1

09.00 - 09.30 Coffee and Registration.

09.00 - 09.35 **The Damaged Ship - The Steepest Learning Curve Yet**
D. Vassalos and A. Jasionowski, University of Strathclyde
L. Guarin, Safety at Sea Ltd

The authors, having played a protagonist role in every major contemporary rule development in damage stability and having been involved at the core in implementing these developments to the design of modern safety-critical ships, will make use of their collective knowledge and experience to provide a complete account of the "The Damaged Ship Learning Curve" and demonstrate the implications of contemporary developments on the design and operation of modern ships with a complete design implementation example.

09.35 - 10.10 **A Practical Guide to Damage Stability Assessment - Regulation on Damage Stability**
J. Gullaksen, JG Consultant Engineers

Damage stability calculations are required in order to assess the attitude and stability of the ship after flooding. The SOLAS, MARPOL, IGC & IBC regulations require that all operational loading conditions meet the damage stability requirements. This paper is intended to serve as a practical guide to the use of these regulations when designing vessels based on these regulations, respectively when preparing the required documentation and calculations.

10.10 - 10.45 **Consideration of Damage to Ships from Conceptual Design to Operation: The Impact of Recent and Potential Future Regulations Regarding Application, Impact and Education**
K. W. Hutchinson, Babcock International Group
A. L. Scott, MCA
M. Woodward, P. N. H. Wright and J. Downes, Newcastle University

This paper will consider the recent and potential future developments of damage stability regulations and damage scenarios with respect to safe vessel design, development and operation and hence investigating how such regulations and techniques can be utilised in developing compliant and optimal design solutions. Arguments regarding the application of such regulations and techniques will be presented based on the view points of designers, regulators and educators hence presenting a three pronged view of issues and challenges facing the industry.

10.45 - 11.15 Coffee

11.15 - 11.50 **MoD(UK) Salvage and Marine Operations Team - Use and Development of Specialist Tools and Emergency Preparedness to the Support of a UK Military Maritime Incident.**
S Quinn, N Hills and A Vowell, MoD, UK

The UK Ministry of Defence Salvage and Marine Operations Project Team is a support unit to the UK front line armed forces operating in the maritime environment. It is first responder organisation, with a multi-disciplinary team with diving, engineering, seamanship, naval architecture and project management skill sets. The paper will also reflect on how the UK MoD is continuing to develop its preparedness for emergency response in the marine theatre, focussing on improvement of procedures developing in house experience and working with and taking on best practice from industry.

11.50 - 12.25 **The Damaged Ship?**
V. Martin, R. Gregory and J. Poulson, Noble Denton

This paper will present a brief background of the technical and operational aspects of marine casualties, whilst expanding on the roles and responsibilities of the different stakeholders. With the support of case studies the paper will illustrate several types of marine insurance claims and loosely relate to the cost arising. This will help create an understanding of how the damaged ship affects the various interests in different ways. This paper will provide considerations for emergency preparedness providing particular focus to the management of liabilities associated with marine casualties.

12.25 - 13.00 **Case Study of Damage Stability Criteria of Merchant Vessels and Warships**
Rodrigo Pérez Fernández and José María Riola Rodríguez, Universidad Politécnica de Madrid

This paper provides a study of the stability criterion of the Navy,

a study of the new NSC criterion and an analysis of SOLAS from its origin until the new probabilistic approach going through all the amendments that relate to stability.

13.00 - 14.00 Lunch

14.00 - 14.35 **The Application of High Pressure Water Mist as Part of a Holistic Fire Fighting System**
S. Ratcliffe, Atkins Global, UK

In April 2009 the Naval Design Partnering Team (NDP) commissioned a study by the Fire Protection Association (FPA) with the intention of considering fire safety systems against novel approaches with a view to meeting key design objectives. This study aims to build on the recommendations made in Option 3 outlined in the FPA report; the use of High Pressure Water Mist (HPWM) to provide ship wide reactive fire fighting. This study explores its application to a generic area of the Type 26 Frigate. This could then be scaled to fit any vessel in the future.

14.35 - 15.10 **Estimation of Orifice Flow Rates for Flooding of Damaged Ships**
C.D. Wood, A. J. Sobey, D. A. Hudson and M Tan, University of Southampton
P. James, Lloyd's Register

This paper concentrates on the accurate modelling of compartment flooding rates following the occurrence of damage. Typical state of the art flooding models use Torricelli's formula to calculate flooding rates using a constant coefficient of discharge (Cd). Based on Bernoulli's theorem, turbulence and viscosity effects are included using a Cd independent of damage size or shape. Initial studies indicate that this assumption over-simplifies the problem to an extent where the calculated flooding rates are in error.

15.10 - 15.40 Coffee

15.40 - 16.15 **Dealing with the Hinged Ship, A Review of the Analytical and Practical Issues Based upon the MT Elli**
K. Ellam, Swire Salvage
R. Tagg, Herbert Software Solutions
C. Moore, Herbert Engineering

In August 2009, south of Suez, the MT Elli broke her back in calm water while being ballasted in preparation for dry-docking. The hull girder hinged near amidships and the overall hull deformation, about 22m, was sufficient for the bottom of the hull to clear the water. This paper outlines some of the analytical issues in salvaging such a hinged ship including; modeling the geometry, estimating the moment distribution and how it got there, problems with predicting hinge behavior, estimating residual strength.

16.15 - 16.50 **The Rapid Reliability and Risk Assessment of a Damaged Ship Structure**
M. Shahid, Binary Systems and Engineering

Presently used computer aided structural analysis tools such as Finite Element Analysis and related technologies are neither developed for Emergency Response Services nor suitable for such application needing quick assessment of structural strength. A computer aided structural analysis tool based on artificial neural network and structural response parameters can provide rapid strength assessment and shall be of immense help for Emergency Response Services to make reliability and risk assessment of residual structural strength and to formulate informed and reliable emergency response actions. This paper aims to presents such techniques for reliability and risk assessment of damaged ship structures.

16.50 - 17.25 **Progressive Structural Failure and Residual Strength of Damaged Ships**
S. Kwon, D. Vassalos and G. Mermiris, University of Strathclyde

To date, research on damage stability and structural failure has been carried out independently by assuming that the damage extent is fixed and the damaged ship is in a structurally stable condition. However, the initial structural damage can propagate during the evolution of flooding. These complex situations may result in excessive flooding and ultimately hull girder collapse before the damaged ship founders or capsizes. In this research, a first-principles methodology is pursued to simulate progressive structural failure

17.25 - Drinks Reception

day 2

09.00 - 09.30 Coffee and Registration.

09.00 - 09.35 **Global Wave Loads on Damaged Ship Structures: An Experimental Procedure and Some Preliminary Results**
D. Fone, T. Smith, J. Borg and K. Drake, University College London

When a ship is involved in a damage event, a rapid evaluation of residual structural integrity is required in order to provide quantifications that can aid the decision making process for emergency response. It is suggested that the effect on global structural loads caused by any flooding of ship compartments should be incorporated into a structural analysis when determining residual structural integrity. Results from the experiments will be used to validate tools being developed at University College London and The University of Southampton.

09.35 - 10.10 **Simulations of Motions of a Damaged Ship**
A. C. Gaillard and G. X. Wu, University College London
X. B. Chen, Bureau Veritas

Most simulation for ship motions in waves is based on an intact ship, or there is only fluid loading external to the ship. Research has been done for a ship with a liquid tank, such as an LNG. However, there is no direct link between the external and the internal flow, and their mutual interactions are through the motion of the ship. The present work is to consider the motion of a damaged ship. The external and internal flows are directly connected. This will have direct effect on both the external and internal loading.

10.10 - 10.45 **Selecting the Safest Option after Damage - A Tool for Decision Support**
A. Martin, QinetiQ Ship Structures Team

When a ship suffers a collision or grounding that results in significant structural damage, the owner must rapidly decide whether the vessel is structurally sound enough to continue, whether to wait for assistance, or to plot courses to suitable ports for repair. This was the situation faced by the UK MoD in July 2002 when HMS Nottingham struck a rock off the coast of Lord Howe Island. This accident spurred research into a tool able to inform the decision making process, under a programme known as DALAS. This paper will describe the background to, and development of the DALAS tool, together with examples of its use to select the safest option after a ship has suffered structural damage.

10.45 - 11.15 Coffee

11.15 - 11.50 **The Structural and Stability Assessment and Subsequent Recovery of a Damaged Lifeboat**
A. Harman, N. Chaplin, H. Phillips and S. Austen, RNLI

Whilst on operational service at night in rough seas, a Severn Class lifeboat grounded in shallow water off a remote island, instigating a salvage operation. The original design requirements for this class of lifeboat and the construction methods used are described in conjunction with the sequence of events that took place from the point at which the vessel grounded. This includes the theoretical and practical stability and structural analyses that were carried out to establish the residual integrity of the lifeboat. The paper also details the evaluations of a variety of salvage options in terms of damaged stability and structural integrity that were investigated.

11.50 - 12.25 **Use of Damage Ship Assessment Software for Emergency Response Support**
S. Chudziak, QinetiQ

This paper discusses the use of computerised tools during an emergency response situation from both the view point of the crew and onshore technical support team. It takes into account aspects of the incident response chain in case of damage to a Royal Navy ship. Onboard loading software is now widely used onboard Royal Navy ships to assist the crew in assessing the damaged stability as well as the residual structural strength. These computerised tools can also assess different proposed recovery plans and thus help the crew to take an informed course of action.

12.25 - 13.00 **A G.A. Based Decision Support Tool for Stability and Structural Viability Under Damage**
Paulo Manuel Marques da Silva Triunfante Martins, Portugese Navy

As far as stability is concerned, stability calculators are available that allow for the ship's master to simulate any load condition

and ensure that stability criteria are fulfilled. On the other hand, whatever stability or structural criteria are applied, it is impossible to foresee every possible damaged situation at every load condition. Therefore, this paper proposes a decision support tool to help the masters' decision after damage and to monitor the ship stability during operation.

13.00 - 14.00 Lunch

14.00 - 14.35 **Refloating and Strength Assessment of Grounded Ships**
P. Mangriotis and S. Pollard, London Offshore Consultants

The refloating operation should avoid worsening the casualty situation. Calculation of the global longitudinal strength and the likely local loads together with an assessment of the residual structural capacity is required at each stage. The techniques and typical assumptions involved will be outlined and the refloating techniques employed by salvors in recent operations described. Finally, mention will be made of retrospective investigations into the risks involved during salvage in order to apportion salvage awards. Such investigations are made without the same time pressures and afford an opportunity for more detailed and accurate analysis.

14.35 - 15.10 **Damage Decision Books for use by Masters on Vessels with no Computer Based Loading System**
M. Simpson, Hart, Fenton & Co.

When a vessel is damaged, quick decisions by the master are critical to the successful outcome of an incident. Statutory damage stability books do not cover every damage scenario possible. Additional information in the form of damage decision books, covering all survivable damage scenarios, to enable the master to make an informed decision on the most appropriate course of action, are very useful. These books should be easy to use as it is hoped that they will not be used often.

15.10 - 15.40 Coffee

15.40 - 16.15 **Expanding the Scope of Rapid Response Damage Assessment to Address Ultimate Strength - A Classification Society Perspective**
G. Wang, ABS

This paper will highlight these major enhancements of the ABS RRDA program, and describe the current development and application of the advanced software tools that can be quickly applied to support timely engineering analysis and informed decisions in the immediate aftermath of an incident.

16.15 - 16.50 **MoD Salvage Response to HMS ENDURANCE in the Magellan Strait in December 2008**
J. Ward, M. Watts and D. Price, MoD

In December 2008, the Royal Navy's Ice Patrol Ship, HMS ENDURANCE, suffered a major flood in the Engine Room, resulting in the ship losing power and drifting in marginal weather conditions in the Magellan Strait. This paper describes the Salvage and Marine Operations Team response to the incident, including mobilisation of the deployed salvage team, activities in theatre to stabilise the vessel and recover the Engine Room, and details of the technical liaison with responding operating and design authorities in the UK.

16.50 - 17.25 **Tolerable Safety of Damaged Naval Ships**
S. Marshall, Sea Systems Group, MoD

One of the key elements of naval doctrine is the ability to absorb substantial damage before becoming non-operational. In terms of damage stability this has traditionally been delivered for naval ships through the application of damage extents relating to hostile threats. It has generally been assumed that this also provides adequate survivability against mercantile accidents such as collision & grounding. Military damage stability standards can be tailored by navies to reflect the ship role and survivability requirements, thus defining the ship "capability". This is illustrated by warships having a high degree of survivability and naval auxiliaries being closer to mercantile standards. It is however, becoming more common for navies to adopt minimum safety levels that are as least as effective as merchant ships. Whilst naval ships are exempt from IMO conventions, compliance may compromise their war-fighting capability and may not adequately protect the asset from minor damage.

17.25 - 17.30 General Discussion

International Conference
THE DAMAGED SHIP

26 - 27 JANUARY 2011
RINA HQ, LONDON, UK

To register, simply complete all sections of this form and return it with your payment to:

The Conference Department, RINA, 10 Upper Belgrave Street, London, SW1X 8BQ.

TEL: +44 (0)20 7201 2401

FAX: +44 (0)20 7259 5912

E-MAIL: conference@rina.org.uk

TITLE (Dr, Mr, Eur Ing):

NAME (as it should appear on name badge):

POSITION:

COMPANY (as it should appear on name badge):

INVOICE ADDRESS:

POSTCODE:
COUNTRY:
TELEPHONE:
FAX:
E-MAIL:

CONTACT MAILING ADDRESS (if different):

POSTCODE:
COUNTRY:
TELEPHONE:
FAX:
E-MAIL:

PLEASE INDICATE YOUR PREFERRED METHOD OF PAYMENT:

I enclose a cheque for:
(made payable to RINA)

Please send me an invoice for :

Bank Transfer details enclosed for:

Please debit my credit card by:

Card Number: (Visa/Amex/Mastercard)

----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------

Expiry Date:

Signature:

REGISTRATION FEE (Inc VAT*)

By 17/01/2011

After 17/01/2011

RINA MEMBERS:	£680	£780
NON-MEMBERS:	£780	£880
CONCESSIONS: (Retired/Students etc.)	£315	£315

PRINCIPAL AUTHOR	£120	£120
ADDITIONAL AUTHOR	£680	£680

The registration fee includes printed conference papers, lunch, refreshments, reception, a CD of the papers and presentations after the conference and VAT

CONFERENCE PAPERS

Delegates will receive a copy of the conference CD ROM which will include the presentations, this will be posted out around 8 weeks after the conference.

Additional copies of the conference papers will also be for sale after the event in both print and CD ROM versions. If you would like to order copies, please fill in the relevant sections.

I am unable to attend the conference, please reserve me _____ set(s) of Conference proceedings

Papers @ £100 (members) ☐ £120 (non-members) ☐

CD ROM £100 (members) ☐ £120 (non-members) ☐

For a full list of the Institution's Conference papers, CD-ROM's and other technical publications please contact Josie Pearson, Bookshop Assistant on +44 (0)20 7235 4622 or via e-mail at: publications@rina.org.uk

PAYMENTS

Payment must be made in pounds sterling by Eurocheque, cheque drawn on a bank with a UK branch address, credit card (VISA/Amex/Mastercard) or bank transfer. Please note RINA requires payment before the conference date.

Account Name: The Royal Institution of Naval Architects;

Account Number: 10042127; Account Code: 160016

Bank Address: Royal Bank of Scotland PLC, Belgrave Branch, 24 Grosvenor Place, London, SW1X 7HP, UK.

IBAN No: GB14RBOS16001610042127

SWIFT No: RBOSGB2L

*VAT: Under UK Customs and Excise regulations delegates from all countries are required to pay VAT on any course taking place in the UK. Delegates from outside the UK may be entitled to reclaim this cost.

VENUE

The Venue for the conference is RINA HQ, 10 Upper Belgrave Street, London, SW1X 8BQ, UK.

EVENING DRINKS RECEPTION

Following the end of day one (26/01/11), delegates are invited to attend an evening drinks reception at the conference venue.

ACCOMMODATION

Upon registration you will be provided with details of a hotel booking service offering reduced rate accommodation for conference participants.

CONTINUING PROFESSIONAL DEVELOPMENT

RINA Certificates of Attendance will be issued at the event, which contributes towards the Institution's Continuing Professional Development Scheme. For further details regarding the scheme please contact Giuseppe Gigantesco, Director, Professional Affairs on Tel: +44 (0)20 7235 4622 or e-mail: membership@rina.org.uk

STUDENT SPONSORSHIP

A number of sponsored places at this conference are available for Student Members of RINA. For more information, please contact Yuen Yee Pang, Professional Affairs, RINA on Tel: +44 (0)20 7235 4622 or e-mail: ypang@rina.org.uk.

PROMOTIONAL OPPORTUNITIES

Why not use this conference to promote your company's products and services? It provides an excellent opportunity to increase your profile and to network with a highly focused audience. We offer a number of cost effective options, including various conference sponsorship packages, exhibition space and literature distribution. If you are interested in any of these promotional opportunities please contact the Conference Organiser to discuss your individual requirements.

CANCELLATION CHARGES

The following charges will be made in the event of cancellation: £100 if received by 12/01/2011 and £200 thereafter. Cancellations received within 24 hours of the event, or in the case of non-attendance will not be refunded. Delegates may be substituted; this must be sent in writing and confirmed with the Conference Organiser.

DATA PROTECTION

Personal data is gathered in accordance with the Data Protection Act 1998. Your details may be passed to other companies who wish to communicate with you offers related to your business activities. Please tick the box below where appropriate:

☐

Please do not pass my information to any third party.

☐

I wish to receive email notification of future RINA events or publications

If you have any questions regarding this or any other RINA event please contact, Amber Williams, Conference Organiser, on:

Tel: +44 (0)20 7201 2401

Fax: +44 (0)20 7259 5912

E-Mail: awilliams@rina.org.uk www.rina.org.uk/events